



SmartClass 4800

Tool of choice for all-in-one service testing

Optimized for business services installation teams, the SmartClass 4800 is the modern tool for ensuring data and voice services achieve expected key performance indicators (KPI).

With the ability to test electrical and optical Ethernet links as well T1 and E1 interfaces, the SmartClass 4800 allows technicians to test all common business class interfaces. Technicians can test the quality of voice services regardless of whether they are delivered via VoIP or PRI.

The industry's smallest handheld instrument can test throughout the service life cycle, including service activation, troubleshooting, and maintenance. Advanced Ethernet test features such as TrueSpeed per RFC 6349 and, J-Profiler help field technicians test their networks faster and more accurately than ever before.

Key Benefits

- Optimized for field use with a multitouch screen, scripted workflows, and clear results
- Supports efficient best practices with repeatable methods and procedures


Key Features

- Electrical (10/100/1000) and optical (100M, 1GE) Ethernet interfaces
- Automated, enhanced RFC 2544 and SAMComplete testing per ITU-T Y1564
- Integrated burst testing approach per MEF 34 and RFC 6349 TrueSpeed™ TCP throughput testing
- Compatible with Viavi microscopes, and optical power meters

Applications

- Business services installations, service activation and troubleshooting
- Mobile and backhaul characterization, validation, and troubleshooting

Best Practice Workflow (Single and Multiple Services):



This test workflow is applicable to Ethernet Business Services and Wireless Backhaul network topologies; a typical Ethernet business service network topology is shown in the following diagram.

TrueSAM Saves Valuable Service Activation Time

Test better and quicker with automated tests combined into one ultimate installation tool:

- J-QuickCheck — a fast, automated test (RFC 2544, Y.1564) for validating end-to-end and auto-negotiation configuration
- Enhanced RFC 2544 — an automated turn-up test for validating key performance indicators (KPIs)/concurrently measuring SLAs such as throughput, frame delay, delay variation, frame loss, and committed burst size (CBS) — optional
- Y.1564 SAMComplete — an automated service verification test that speeds the installation of multiple classes of services (COS)
- TrueSpeed per RFC 6349 — an automated, standards-based test that can save up to 25% of operating expenses (OpEx) and reveals the reason for slow file downloads, eliminating finger-pointing
- Interoperable with TrueSpeed VNF and QT-600 to speed testing

Optimized for Field Technicians

The SmartClass 4800 makes testing Ethernet and voice services easy:

- All test interfaces are readily available
- Compact form factor for easy portability:
7 x 9.5 x 3 in (17.8 x 24.1 x 7.62 cm)
- Large 7 in multi-touch display
- Tablet-like interface for easy navigation through test information and advanced workflows
- Integrated WiFi and Bluetooth lets you easily connect test sets and offload results

Compatible with Viavi Solutions Fiber Test Tools


The SmartClass 4800 is compatible with:

- The P5000i fiber microscope for connector end-face inspection and analysis
- MP-Series optical power meters for optical power and loss measurements


Optimized for Easy Field Use


- Fixed test interfaces eliminate loose pluggable modules
- LEDs indicate plug-ins for tests
- A streamlined user interface provides simple pass/fail, green/red results
- Extended battery life enables longer test times
- Boots up rapidly from power-on to test start

SmartClass 4800




SmartClass 4800P






Enhanced RFC 2544 with J-QuickCheck



SAMComplete per ITU-T Y.1564




TrueSpeed per RFC 6349

Enables Network Evolution — Today and Tomorrow

The SmartClass 4800 meets leading-edge, carrier-grade Ethernet requirements:

- Ensures reliability with link and service OAM (IEEE 802.3ah, 802.1ag, and ITU-T Y.1731)
- Validates network scalability with VLAN, Q-in-Q, MAC-in-MAC, MPLS, and VPLS tunnelling technologies
- Full-featured VoIP and IP video turn-up and troubleshooting tests
- Supports packet transport network (PTN) evolution with MPLS-TP technology



Source: Metro Ethernet Forum (MEF)

Part of the Leading T-BERD/MTS Test Portfolio

Activate services more quickly and accurately

Reduce mean time to repair (MTTR) on network problems

Test the widest range of traditional and emerging telecom interfaces



Common Application Base
Same user interface + same results + same methods and procedures

StrataSync

Empower Your Assets

StrataSync is a hosted, cloud-enabled solution for managing assets, configurations, and test data on Viavi instruments. It ensures that all instrument software is current and the latest options are installed. StrataSync lets you manage inventory, test results, and performance data anywhere with browser-based ease while it also improves technician and instrument efficiency. StrataSync manages and tracks test instruments, collects and analyzes results from the entire network, and it informs and trains the workforce.



Contact Us **+1 844 GO VIAVI**
(+1 844 468 4284)

To reach the Viavi office nearest you, visit viavisolutions.com/contacts.

© 2017 Viavi Solutions, Inc.
Product specifications and descriptions in this document are subject to change without notice.
SmartClass4800-pb-tfs-tm-ae
30168388 907 0717